

FORM PTO-1390 (Modified)  
(REV 11-2000)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTORNEY'S DOCKET NUMBER

TRANSMITTAL LETTER TO THE UNITED STATES  
DESIGNATED/ELECTED OFFICE (DO/EO/US)  
CONCERNING A FILING UNDER 35 U.S.C. 371

214904US0PCT

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR

09/926382

INTERNATIONAL APPLICATION NO.

PCT/JP00/02699

INTERNATIONAL FILING DATE

25 April 2000

PRIORITY DATE CLAIMED

27 April 1999

TITLE OF INVENTION

METAL-COLLECTING APPARATUS AND METHOD FOR ELUTION AND RECOVERY OF METAL FROM  
METAL-COLLECTING MATERIAL

APPLICANT(S) FOR DO/EO/US

SUGO T akanobu et al.

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (24) indicated below.
4. ☒ The US has been elected by the expiration of 19 months from the priority date (Article 31).
5. ☒ A copy of the International Application as filed (35 U.S.C. 371 (c) (2))
  - a. ☐ is attached hereto (required only if not communicated by the International Bureau).
  - b. ☒ has been communicated by the International Bureau.
  - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☒ An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).
  - a. ☒ is attached hereto.
  - b. ☐ has been previously submitted under 35 U.S.C. 154(d)(4).
7. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3))
  - a. ☐ are attached hereto (required only if not communicated by the International Bureau).
  - b. ☐ have been communicated by the International Bureau.
  - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
  - d. ☒ have not been made and will not be made.
8. ☐ An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9. ☒ An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)).
10. ☐ An English language translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)).
11. ☒ A copy of the International Preliminary Examination Report (PCT/IPEA/409).
12. ☒ A copy of the International Search Report (PCT/ISA/210).

**Items 13 to 20 below concern document(s) or information included:**

13. ☐ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
14. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
15. ☒ A **FIRST** preliminary amendment.
16. ☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
17. ☐ A substitute specification.
18. ☐ A change of power of attorney and/or address letter.
19. ☐ A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825.
20. ☐ A second copy of the published international application under 35 U.S.C. 154(d)(4).
21. ☐ A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).
22. ☐ Certificate of Mailing by Express Mail
23. ☒ Other items or information:

**Request for Consideration of Documents Cited in International Search Report/Request for Priority  
PCT/IB/304/Drawings (3 Sheets)/PCT/IB/308**

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR <b>09/926382</b>		INTERNATIONAL APPLICATION NO. <b>PCT/JP00/02699</b>		ATTORNEY'S DOCKET NUMBER <b>214904US0PCT</b>	
--	--	--	--	---	--

24. The following fees are submitted:

<b>BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)) :</b>	<b>CALCULATIONS PTO USE ONLY</b>
<input type="checkbox"/> Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO .....	<b>\$1040.00</b>
<input checked="" type="checkbox"/> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO .....	<b>\$890.00</b>
<input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO .....	<b>\$740.00</b>
<input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4) .....	<b>\$710.00</b>
<input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4) .....	<b>\$100.00</b>
<b>ENTER APPROPRIATE BASIC FEE AMOUNT =</b>	<b>\$890.00</b>

Surcharge of **\$130.00** for furnishing the oath or declaration later than months from the earliest claimed priority date (37 CFR 1.492 (e)). ☐ 20 ☐ 30

CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	
Total claims	17 - 20 =	0	x \$18.00	<b>\$0.00</b>
Independent claims	2 - 3 =	0	x \$84.00	<b>\$0.00</b>
Multiple Dependent Claims (check if applicable). <input type="checkbox"/>				<b>\$0.00</b>
<b>TOTAL OF ABOVE CALCULATIONS =</b>				<b>\$890.00</b>

☐ Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above are reduced by 1/2.

<b>SUBTOTAL =</b>	<b>\$890.00</b>
-------------------	-----------------

Processing fee of **\$130.00** for furnishing the English translation later than months from the earliest claimed priority date (37 CFR 1.492 (f)). ☐ 20 ☐ 30 +

<b>TOTAL NATIONAL FEE =</b>	<b>\$890.00</b>
-----------------------------	-----------------

Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31) (check if applicable). ☐

<b>TOTAL FEES ENCLOSED =</b>	<b>\$890.00</b>
------------------------------	-----------------

	Amount to be refunded	\$
	charged	\$

a. ☒ A check in the amount of **\$890.00** to cover the above fees is enclosed.

b. ☐ Please charge my Deposit Account No. \_\_\_\_\_ in the amount of \_\_\_\_\_ to cover the above fees. A duplicate copy of this sheet is enclosed.


c. ☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. **15-0030**. A duplicate copy of this sheet is enclosed.

d. ☐ Fees are to be charged to a credit card. **WARNING:** Information on this form may become public. **Credit card information should not be included on this form.** Provide credit card information and authorization on PTO-2038.

**NOTE:** Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

Surinder Sachar  
Registration No. 34,423

  
**22850**

*Surinder Sachar*

SIGNATURE \_\_\_\_\_

**Norman F. Oblon**

NAME \_\_\_\_\_

**24,618**

REGISTRATION NUMBER \_\_\_\_\_

*Oct. 23 2001*

DATE \_\_\_\_\_

IN RE APPLICATION OF: SUGO Takanobu et al.

SERIAL NO.: New U.S. PCT Application (Based on PCT/JP00/02699)

FILED: HEREWITH

FOR: METAL-COLLECTING APPARATUS AND METHOD FOR ELUTION AND RECOVERY  
OF METAL FROM METAL-COLLECTING MATERIALASSISTANT COMMISSIONER FOR PATENTS  
WASHINGTON, D.C. 20231

Sir:

Transmitted herewith is an amendment in the above-identified application.

- ☐ No additional fee is required.
- ☐ Small entity status of this application under 37 C.F.R. §1.9 and §1.27 has been established by a verified statement previously submitted.
- ☐ Small entity status of this application under 37 C.F.R. §1.9 and §1.27 has been established by a verified statement submitted herewith.
- ☒ Additional documents filed herewith: PCT Transmittal Letter/Request for Priority  
English Translation of Specification/Request for Consideration/PCT/IB/304/Declaration/PCT/IB/308  
Preliminary Amendment/International Search Report/Check for \$890.00/Drawings (3 sheets)  
International Preliminary Examination Report

The fee has been calculated as shown below.

(Col. 1)		(Col. 2)		(Col. 3)	SMALL ENTITY		OTHER THAN A SMALL ENTITY	
	CLAIMS REMAINING AFTER		HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE	ADDITIONAL FEE	RATE	ADDITIONAL FEE
TOTAL	* 17	MINUS	** 20	= 0	X9 =	\$	X18 =	\$ .00
INDEP	* 2	MINUS	*** 3	= 0	X40 =	\$	X80 =	\$ .00
<input type="checkbox"/> FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM					+135=	\$	+270=	\$
TOTAL						\$	TOTAL	\$ .00

A check in the amount of \$\_\_\_\_\_ is attached.

- XX Please charge any additional fees for the papers being filed herewith and for which no check is enclosed herewith, or credit any overpayment to deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.
- XX If these papers are not considered timely filed by the Patent and Trademark Office, then a petition is hereby made under 37 C.F.R. §1.136, and any additional fees required under 37 C.F.R. §1.136 for any necessary extension of time may be charged to deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.



22850

OBLON, SPIVAK, McCLELLAND,  
MAIER & NEUSTADT, P.C.

Norman F. Oblon  
Attorney of Record  
Registration No. 24,618  
Surinder Sachar  
Registration No. 34,423

(703) 413-3000

- \*If the entry in Column 2 is less than the entry in Column 1 write "0" in Column 3.
- \*\*If the "Highest Number Previously paid for" IN THIS SPACE is less than 20 write "20" in this space.
- \*\*\*If the "Highest Number Previously paid for" IN THIS SPACE is less than 3 write "3" in this space.

214904US-0PCT

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF: :  
TAKANOBU SUGO ET AL : ATTN: APPLICATION DIVISION  
SERIAL NO: NEW APPLICATION :  
(Based on PCT NO/JP00/02699)  
FILED: HEREWITH : EXAMINER:

FOR: METAL-COLLECTING APPARATUS:  
AND METHOD FOR ELUTION AND  
RECOVERY OF METAL FROM METAL-  
COLLECTING MATERIAL

PRELIMINARY AMENDMENT

ASSISTANT COMMISSIONER FOR PATENTS  
WASHINGTON, D.C. 20231

SIR:

Prior to examination on the merits, please amend the above-identified application as follows.

IN THE CLAIMS

Please amend the claims as shown in the marked-up copy following this amendment to read as follows:

3. (Amended) The metal collector of Claim 1 wherein said collecting material has a metal adsorbing functional group introduced into a fiber substrate via radiation-induced graft polymerization.

4. (Amended) The metal collector of Claim 1 wherein said collecting material has a metal adsorbing functional group including an amidoxime group and/or imidodioxime group.

5. (Amended) The metal collector of Claim 1 wherein said collecting material has a thickness of 0.5-3.0 mm.

7. (Amended) A method for collecting a metal in a stream current comprising placing the metal collector of Claim 1 in the stream current.

12. (Amended) The process of Claim 9 further comprising the step of washing the collecting material before step 1 with the effluent from step 1 and/or the effluent from step 3 (effluent from resorption of the target metal to a metal resorbing material).

13. (Amended) The process of Claim 9 wherein the effluent from step 3 (effluent from resorption of the target metal to a metal resorbing material) is used as an eluent in step 1.

14. (Amended) The process of Claim 9 further comprising the step (4) of contacting the metal resorbing material having resorbed the target metal from step 3 with an eluent more concentrated than the eluent used in step 3 to recover the target metal in the eluent.

15. (Amended) The process of Claim 9 wherein the metal collecting material to be treated contains an amidoxime group and/or imidodioxime group.

16. (Amended) The process of Claim 9 wherein the metal collecting material to be treated is in the form of a woven or nonwoven fabric consisting of a fiber assembly.

17. (Amended) The process of Claim 9 wherein the metal collecting material to be treated is prepared by using radiation-induced graft polymerization.

REMARKS

Claims 1-17 are active in the present application. Claims 3-5, 7 and 12-17 have been amended to remove multiple dependencies. No new matter is added. An action on the merits and allowance of the claims is solicited.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,  
MAIER & NEUSTADT, P.C.



Norman F. Oblon  
Attorney of Record  
Registration No. 24,618

Daniel J. Pereira  
Registration No. 45,518



**22850**

(703) 413-3000

Fax #: (703) 413-2220

DJPER/rac

I:\atty\SUKOS\214904US-PR.wpd

**Marked-Up Copy**

Serial No: \_\_\_\_\_

Amendment Filed on: \_\_\_\_\_

10-23-01

IN THE CLAIMS

3. (Amended) The metal collector of Claim 1 [or 2] wherein said collecting material has a metal adsorbing functional group introduced into a fiber substrate via radiation-induced graft polymerization.

4. (Amended) The metal collector of [any one of Claims 1 to 3] Claim 1 wherein said collecting material has a metal adsorbing functional group including an amidoxime group and/or imidodioxime group.

5. (Amended) The metal collector of [any one of Claims 1 to 4] Claim 1 wherein said collecting material has a thickness of 0.5-3.0 mm.

7. (Amended) A method for collecting a metal in a stream current comprising placing the metal collector of [any one of Claims 1 to 6] Claim 1 in the stream current.

12. (Amended) The process of [any one of Claims 9 to 11] Claim 9 further comprising the step of washing the collecting material before step 1 with the effluent from step 1 and/or the effluent from step 3 (effluent from resorption of the target metal to a metal resorbing material). 13. (Amended) The process of [any one of Claims 9 to 12] Claim 9 wherein the effluent from step 3 (effluent from resorption of the target metal to a metal resorbing material) is used as an eluent in step 1.

14. (Amended) The process of [any one of Claims 9 to 13] Claim 9 further comprising the step (4) of contacting the metal resorbing material having resorbed the target metal from step 3 with an eluent more concentrated than the eluent used in step 3 to recover the target metal in the eluent.

15. (Amended) The process of [any one of Claims 9 to 14] Claim 9 wherein the metal collecting material to be treated contains an amidoxime group and/or imidodioxime group.

16. (Amended) The process of [any one of Claims 9 to 15] Claim 9 wherein the metal collecting material to be treated is in the form of a woven or nonwoven fabric consisting of a fiber assembly.

17. (Amended) The process of [any one of Claims 9 to 16] Claim 9 wherein the metal collecting material to be treated is prepared by using radiation-induced graft polymerization.



METAL-COLLECTING APPARATUS AND METHOD FOR ELUTION AND  
RECOVERY OF METAL FROM METAL-COLLECTING MATERIAL

5           An aspect of the present invention relates to a  
structure of metal collector using a fibrous collecting  
material for use in water to collect a metal in a liquid  
medium such as seawater or river water. The metal  
collector using a fibrous collecting material of the  
10 present invention can be used to collect valuable metals  
such as uranium, vanadium or titanium contained in seawater  
as well as to remove noxious heavy metal ions from seawater  
or river water or industrial wastewater.

Another aspect of the present invention relates to a  
15 process for efficiently separating and recovering valuable  
metals or noxious metals from a metal collecting material  
having collected said valuable metals from seawater or  
noxious metals from river water or wastewater with the  
least possible waste generation.

Conventional means for adsorbing and removing minor amounts of noxious substances or valuable metals from large amounts of aqueous media such as seawater or river water typically involves passing seawater or river water through a column or the like packed with a granular adsorbent such as an ion exchange resin to remove the noxious substances or valuable metals.

[illegible]

Especially, seawater is rich in valuable metals such as uranium, titanium, cobalt and vanadium. If these almost totally imported metals could be collected from seawater, a long-cherished Japanese wish for self-supply of energy

- 5 would be fulfilled and oversea dependence on valuable rare metals would be decreased, and it would also contribute to protection of the global environment.

Attempts to collect valuable metals in seawater were made in about 1960 in the UK and in early 1970s in Japan.

- 10 These attempts used a collecting material based on titanitic acid, which had low collecting capacity or collecting speed and insufficient durability. Therefore, economically more advantageous means were sought but no techniques for collecting valuable metals from seawater have been developed
- 15 from the viewpoint of protection of the global environment, resource/energy saving and guarantee of long-term energy sources. For example, the method for introducing seawater into a collector by column circulation to recover uranium had the problem that pumping power accounts for most of the
- 20 energy of recovered uranium. Studies showed that 50% or more of the energy of uranium collected from seawater by adsorption to a granular adsorbent was consumed for pumping power during collection. Thus, it is essential in this field to utilize natural energy such as ocean current or
- 25 stream current.

In early 1970s, amidoxime groups were found to be effective for collecting valuable metals such as uranium. In early 1980s, functional materials were extensively

developed by radiation-induced graft polymerization, and collecting materials incorporating an amidoxime group into a graft side chain of existing polyolefin fibers were proposed to further improve performance.

5           With the technical progress as described above and the social background demanding protection of the global environment and resource/energy saving, the necessity of developing the technology for collecting/recovering valuable metals in seawater was stressed again in 1990s.

10           Fibrous metal collecting materials comprising a fibrous material having a metal-adsorbing function have a large surface area and are effective for adsorbing/removing minor metal ions in aqueous media such as seawater or river water. However, fibrous collecting materials are so bulky  
15           that aqueous media to be treated cannot be sufficiently directed to the vicinity of the collecting materials unless some measures are taken to successfully support them in aqueous media such as seawater or river water.

          If a large channel is provided in a metal collector  
20           incorporating a metal collecting material to direct aqueous media such as seawater or river water, the amount of the collecting material that can be contained in the collector decreases and therefore, the amount of metals collected by the collector as a whole decreases. If the amount of the  
25           collecting material in the collector is increased, however, the amount of aqueous media flowing into the collector decreases and therefore, the amount of metals collected by the collector as a whole also decreases.

Thus, there were demands for finding the structure of a metal collecting material for use in seawater or river water or industrial wastewater to give the most excellent adsorption efficiency.

5           In order to efficiently collect and recover valuable metals from seawater to commercially utilize them, it is important not only to develop an excellent metal collecting material but also to develop a process for eluting/recovering a target metal from the collecting material having collected said metal. For example, if a  
10 metal is eluted from the collecting material but not effectively recovered and discarded, the collected metal cannot be effectively utilized. Metal collecting materials can also be used to collect and remove noxious heavy metals  
15 or the like from river water or industrial wastewater, in which case the collected metals are eluted and individually recovered and treated while the collecting materials are recycled. If some of the metals are not recovered but discarded during elution, they may invite the problems of  
20 environmental pollution or the like.

          Considering the importance of these problems, we carefully studied to find a process for eluting/recovering a metal from a metal collecting material having adsorbed and collected said metal with the least possible waste  
25 generation and energy consumption.

          No process has existed yet for efficiently eluting a metal from a metal collecting material having adsorbed said metal with the least possible waste generation.

Stepwise elution with an eluent at an increasing concentration has been common in the field of ion exchange. For example, when raw water rich in calcium ion is ion-exchanged and regenerated with sulfuric acid, a regeneration method is adopted starting with sulfuric acid at a low concentration and then stepwise increasing the concentration to prevent formation of gypsum ( $\text{CaSO}_4$ ), thereby completing regeneration through several stages, and called as stepwise regeneration. However, this method was intended to ensure normal regeneration by removing the cause of clogging, but not to positively separate and recover adsorbed substances.

Not only how to use the eluent but also the elution characteristics of the collecting material has an important influence on efficient elution and recovery. Conventional ion exchange resins have a three-dimensional network structure consisting of styrene skeletons crosslinked with divinylbenzene to form a rigid polymer chain and ion exchange groups such as sulfone group or quaternary ammonium group are introduced into said rigid polymer chain, whereby they have low ion adsorption speed or diffusion speed. Therefore, diffusion speed of regenerants into the ion exchange resins after adsorption is also low, which means low regeneration efficiency as well as low separation efficiency between adsorbed ions, eg, between divalent metal ions such as calcium ion and monovalent metal ions such as sodium ion. This problem applies to not only the field of ion exchange but also the field of adsorption and

elution of metals to which the present invention pertains.

Therefore, an object of the present invention is to provide a novel structure of metal collector using a fibrous collecting material for use in water to collect a metal in a liquid medium such as seawater or river water, and another object is to provide a process for efficiently separating and recovering valuable metals or noxious metals from a metal collecting material having collected said valuable metals from seawater or noxious metals from river water or wastewater with the least possible waste generation.

#### DISCLOSURE OF THE INVENTION

In order to solve the above problems, an aspect of the present invention relates to a metal collector formed by stacking at least partially alternate layers of a fibrous metal collecting material with a spacer for introducing a liquid to be treated into said collecting material, wherein the area of spacer side faces represents 25-75% of the total area of collecting material side faces and spacer side faces in the side faces of the stack. The present invention also relates to a method for collecting a metal in a stream current, comprising placing said metal collector in the stream current.

Another aspect of the present invention relates to a process for eluting and recovering a metal from a metal collecting material comprising the steps of: (1) contacting the metal collecting material having adsorbed a metal with

a dilute eluent, (2) contacting the metal collecting material with an eluent more concentrated than in step 1 to recover the metal in the eluent; and (3) contacting a metal resorbing material with the eluate from step 2 to resorb the metal.

#### BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a general view of a metal collector according to an aspect of the present invention.

FIG. 2 is a partial enlarged view of FIG. 1.

FIG. 3 shows the configuration of an example of a spacer that can be used in a metal collector according to an aspect of the present invention.

FIG. 4 is a graph showing the relation between the amount of uranium collected per collector and the opening area ratio in the example according to an aspect of the present invention.

FIG. 5 is a flow sheet of a metal recovery process according to another aspect of the present invention.

#### THE MOST PREFERRED EMBODIMENTS OF THE INVENTION

Each aspect of the present invention will now be explained in detail below. A metal collector according to an aspect of the present invention is first explained in detail. As described above, a metal collector according to an aspect of the present invention is formed by stacking at least partially alternate layers of a fibrous metal collecting material with a spacer for introducing a liquid

to be treated into said collecting material, wherein the area of spacer side faces represents 25-75% of the total area of collecting material side faces and spacer side faces in the side faces of the stack.

- 5           The fibrous collecting material is preferably in the form of a sheet such as a woven or nonwoven fabric. Preferably, these sheets of the fibrous collecting material are stacked with a spacer inserted every other one or at regular intervals so that an aqueous medium is introduced
- 10 into the collector via said spacer to come into contact with the collecting material. That is, the metal collector of the present invention is preferably arranged in such a manner that the flow of the aqueous medium strikes the side faces of the stack of the metal collector and enters into
- 15 the collector from the side faces of the spacer to flow in the collector along the spacer, i.e., it is arranged in parallel flow in the flow of a liquid to be treated so that much aqueous medium can be introduced into the collector.

- The metal collector of the present invention is
- 20 further wherein the ratio of the area of spacer side faces to the total area of collecting material side faces and spacer side faces in the side faces of a stack of layers of the collecting material and spacer (hereinafter referred to as "opening area ratio") is 25-75%. When the opening area
- 25 ratio is increased in a metal collector having a certain size consisting of a stack of layers of a collecting material and a spacer, i.e., when the ratio of the thickness of the spacer to the thickness of the collecting material is



increased, a larger channel is ensured in the collector so that more aqueous medium can be introduced into the collector, but the amount of the collecting material in the collector as a whole decreases and therefore, the amount of

5 metals collected by the collector as a whole decreases.

When the opening area ratio is decreased, i.e., when the ratio of the thickness of the spacer to the thickness of the collecting material is decreased, the amount of the collecting material in the collector increases, but less

10 aqueous medium enters into the collector and therefore, the amount of metals collected by the collector as a whole decreases. Noting these facts, we studied to search for the optimum opening area ratio, with the result that we accomplished the present invention on the basis of the

15 finding that the amount of metals collected by the collector as a whole can be remarkably increased in the form of a peak while decreasing the amount of the collecting material in the metal collector as a whole by selecting an opening area ratio of 25-75%.

20 In the metal collector of the present invention, the opening area ratio is more preferably 40-60%.

The fibrous collecting material used in the metal collector of the present invention is preferably in the form of a woven and/or nonwoven fabric to keep the large

25 surface area characteristics of fibers and to provide good handling properties. Particularly when a nonwoven fabric is used, it is preferably formed by heat fusion of a fiber. Such a nonwoven fabric formed by heat fusion scarcely

undergoes fiber detachment or strength loss because fiber strands are joined together at their contact points.

The fibrous metal collecting material used in the metal collector of the present invention is a fibrous

- 5 material such as a nonwoven fabric having a metal adsorbing function. Such materials having a metal adsorbing function include, for example, polymer materials having an amidoxime group or an imidodioxime group which has an ability to adsorb valuable metals such as uranium, vanadium and
- 10 titanium; polymer materials having an iminodiacetate group which has an ability to adsorb iron, copper, cobalt, nickel or the like; and polymer materials having a thiol group which has an ability to adsorb mercury.

- Amidoxime and imidodioxime groups are very preferred
- 15 functional groups to be introduced into the collecting material contained in the metal collector of the present invention because of their high stability constant for complexation with valuable metals such as uranium, vanadium and titanium in seawater. The amidoxime chelate functional
- 20 group is said to be readily converted into an imidodioxime group via deammoniation, but either functional group can be used in the collecting material of the present invention.

- The performance of high-performance collecting materials is also greatly influenced by the structure of
- 25 the polymer chain of the substrate. For example, said functional groups can be introduced into a polymer substrate having a skeleton of a three-dimensional network structure such as polystyrene crosslinked resins. However,

collecting materials are preferably graft polymerization materials obtained by graft-polymerizing a polymerizable monomer having a desired functional group on a backbone of a polymer substrate, considering adsorption speed and

- 5 diffusion speed. When a polymerizable monomer (graft monomer) having a functional group is thus grafted on a backbone of a substrate, high adsorption speed and diffusion speed can be obtained because mobility is very high in the absence of crosslinkage of graft chains. Thus, materials incorporating an amidoxime group or imidodioxime group on a backbone of a polymer substrate are especially excellent for efficiently adsorbing uranium present in an amount as small as 3 ppb in seawater that is a high saline solution and other valuable metal ions and fractionally
- 10 eluting them at high efficiency.

- The method to be used in the present invention for graft-polymerizing a polymerizable monomer having a desired functional group to a polymer substrate is preferably radiation-induced graft polymerization. Radiation-induced
- 20 graft polymerization is a method that permits a desired graft polymer side chain to be introduced into a polymer substrate by irradiating the substrate to produce a radical and reacting it with a graft monomer, and characterized in that the number or length of the graft chain can be
- 25 relatively freely controlled and the polymer side chain can be introduced into existing polymer materials in various shapes including woven or nonwoven fabrics which are most preferred substrates for use in the present invention.



polymerization because they tend to retain monomer solutions.

09026362-102201

In order to obtain a collecting material of the present invention by graft-polymerizing a polymerizable monomer having an amidoxime group or an imidodioxime group to a substrate via radiation-induced graft polymerization, for example, a polymerizable monomer having a nitrile group can be used as a graft monomer to conduct graft-polymerization, and then reacted with a hydroxylamine to convert the nitrile group into an amidoxime group or an imidodioxime group.

Suitable spacers to be stacked with collecting materials in metal collectors of the present invention may be in any form that allows a stream of water to be introduced into the collectors from side faces of the spacers and to flow in contact with the collecting materials along the spacers, but preferably in the form of a diagonal net as shown in Fig. 3 considering flow resistance and diffusion of the stream. Materials for spacers include, but not limited to, polyolefin-based polymers such as polyethylene or polypropylene and polyesters.

The structure of a metal collector according to an aspect of the present invention is explained with reference to Figs. 1 and 2. Fig. 1 is a general view of a metal collector according to an aspect of the present invention, and Fig. 2 is an enlarged view of part A of Fig. 1. The metal collector of the embodiment shown in Fig. 1 is formed by alternately stacking layers of a metal collecting

0056332-102301

material consisting of a nonwoven fabric 11 with a spacer 12 and fixing the stack with fastening members 13. When this collector is moored in a sea area having an ocean current with the side faces of the stack being horizontally oriented, for example, seawater is introduced into the collector along the spacer from the side faces of the stack, i.e., from any horizontal direction of the collector while little seawater flows in the vertical direction of the collector. The seawater introduced into the collector is diffused by the spacer and comes into contact with the collecting material, whereby metals contained in the seawater is adsorbed to the collecting material.

Metal collectors of the present invention can be packed in a basket made of a metal net, for example, and moored in seawater or river water.

The number of layers of the collecting material, the size and shape of the collecting material, the thickness per layer of the collecting material, the thickness of the spacer and the like are determined taking into consideration the number of days for which collectors are moored, the target level of metals to be collected, how to elute the metals collected, the speed of the ocean current, water temperature, handling properties or other factors.

The place in which metal collectors of the present invention are immersed should have some speed of stream current. Metal collectors of the present invention are immersed in this stream current preferably for several to several tens of days, and therefore, the thickness of the



be used in industrial wastewater to collect and remove noxious metals such as mercury or remove nickel from nickel plating wastewater.

Next, a process for eluting and recovering a metal from a metal collecting material according to another aspect of the present invention is described in detail. As described above, a process for eluting and recovering a metal from a metal collecting material according to another aspect of the present invention comprises the steps of: (1) contacting the metal collecting material having adsorbed a metal with a dilute eluent, (2) contacting the metal collecting material with an eluent more concentrated than in step 1 to recover the metal into the eluent; and (3) contacting a metal resorbing material with the eluate from step 2 to resorb the metal.

As an example, a process of the present invention for eluting and recovering valuable metals such as uranium or vanadium adsorbed and collected from a metal collecting material consisting of a chelate resin based on an amidoxime group used to adsorb and collect said valuable metals from seawater is explained below. The process for recovering uranium or the like from a collecting material having adsorbed and collected uranium or the like from seawater as illustrated below is only an example to which the present invention can be applied, but those skilled in the art can readily appreciate that the present invention can also be applied to recover other metals from a collecting material having collected such metals.



00000000.102301

In a process according to an embodiment of the present invention, a metal collecting material consisting of a chelate resin based on an amidoxime group, which has been immersed in seawater for several tens of days to adsorb uranium or vanadium or the like, is brought into contact with a dilute eluent such as 0.01-0.1 N hydrochloric acid. With such dilute hydrochloric acid, magnesium and calcium are initially eluted while uranium and vanadium are not eluted. Then, the collecting material is brought into contact with an eluent more concentrated than the first eluent at step 2. When the collecting material is brought into contact with 0.5 N hydrochloric acid, for example, 90% or more of uranium adsorbed to the collecting material is eluted. The uranium level in the eluate is in the order of several tens of ppm, which means that the seawater level of 3 ppb can be concentrated 10000-fold. The eluate from step 2 contains little impurities such as magnesium and calcium, showing that purification also took place.

The type of the eluent is appropriately selected depending on the nature of the target metal to be recovered, how to purify the recovered metal, elution tendency, the nature of the functional group or durability. When the target metal to be recovered is uranium or vanadium, for example, hydrochloric acid is preferably used as an eluent. When noxious heavy metals such as nickel or copper have been collected with a collecting material having an iminodiacetate functional group, hydrochloric acid or

09060302.102304

sulfuric acid is preferably used as an eluent. The first eluent should be used at a concentration that allows non-target metals to be eluted but not target metals, and the second eluent should be used at a concentration that allows target metals to be eluted. This varies with the type of the eluent used, the nature of the metal to be recovered, the nature of the non-target metal to be removed during the first elution step, contaminant deposition condition in operation environment, etc., and can be experimentally determined by preliminary tests. When hydrochloric acid is used as an eluent to recover uranium, for example, it is preferable that the first eluent is at a concentration of 0.01-0.1 N and the second eluent is at 0.2-1 N.

Then, the uranium-containing eluate from step 2 is adsorbed to a metal-resorbing material which is different from the collecting material. This allows further concentration and purification of uranium. The metal resorbing materials suitable for use in step 3 can be selected from those having a chelating group having a high stability constant for complexation with uranium in acidic solutions. Obviously, the type of the metal resorbing material used depends on the nature of the target metal, and those skilled in the art can readily determine which type of metal resorbing material is preferred for which kind of metal. Suitable metal resorbing materials can be in the form of a bead-like resin, fiber material, woven or nonwoven fabric material, net material, sponge material, plate material, film material or processed product thereof.

092233Z 102301

Chelate resins can be preferably used as collecting and metal resorbing materials. Chelate resins used for this purpose may have a skeleton of a three-dimensional network structure obtained by crosslinking polystyrenes, but chelate resins based on graft polymerization are more advantageous in the respects of adsorption speed, diffusion speed in eluent, separation efficiency from other metals, etc. Materials having a functional group especially having affinity for a specific metal such as inclusion compounds can also be used as collecting materials and/or metal resorbing materials.

The process of the present invention can further comprises, between steps 1 and 2, the step of contacting the collecting material with an eluent having a concentration higher than that of the eluent in step 1 but lower than that of the eluent in step 2. The metal collecting material can also collect other valuable metals than uranium contained in seawater such as vanadium, titanium or cobalt. When the concentration of the eluent to be contacted with the collecting material is stepwise increased, a specific metal ion is eluted in response to the concentration. This method can prevent other metal ions from being included in the eluate of the target metal to be recovered. In this case, the concentration of the eluent used in each elution step should be selected to elute only a desired specific metal ion. Such a concentration varies with the nature of the metal ion to be recovered or the type of the eluent used, but can be

experimentally determined by preliminary tests. In this embodiment, the eluate of a specific metal ion from each step is used to resorb the target metal to a metal resorbing material at step 3.

5 In the process of the present invention, the eluate from step 1 and/or the eluate from step 3 (the eluent having been used to resorb the target metal to a metal resorbing material) can be used as a washing solution for the collecting material before step 1. A mass of marine  
10 organisms and secretes or dead bodies thereof are deposited on the collecting material immersed in seawater for a long period. These deposits can be largely removed by contact with an aqueous solution having a composition different from the composition of seawater. The reason for this is  
15 unknown, but seems to be influenced by osmosis or pH. Therefore, the collecting material is desirably washed before step 1 of the process of the present invention. The washing solution used for this purpose may be the eluate from step 1 or the eluent having been used for metal  
20 resorption treatment in step 3 after the concentration is appropriately adjusted.

The eluent having been used for metal resorption treatment in step 3 of the process of the present invention has a concentration somewhat lower than the concentration  
25 of the eluate from step 2, and thus can be used as an eluent in step 1 after it is appropriately diluted.

By adopting these procedures, the eluate from step 1 and/or 3 can be effectively recycled in the process.



As an example, the metal collecting material that can be treated by the process of the present invention may be in the form of a woven or nonwoven fabric material consisting of a fiber assembly. Collecting materials in the form of a woven or nonwoven fabric take advantage of the large surface area of fibers and are convenient for the adsorption system linked to ocean current because woven or nonwoven fabrics can be easily shaped into any form. The amount of valuable metals adsorbed increases as the amount of seawater flown into the collecting material increases. In the case of conventional bead-like resins, the inflow amount of seawater was small because they were used in a packed column system suffering large pressure losses.

The metal collecting material that can be treated by the present invention is preferably obtained by introducing a polymer side chain having a desired chelate functional group onto a backbone of a polymer substrate via radiation-induced graft polymerization. Adsorption and elution characteristics of the metal collecting material is significantly influenced by not only the type of the chelating group but also the structure of the polymer chain. The graft side chain introduced onto a backbone of a polymer substrate as described above is not crosslinked, so that high adsorption speed and diffusion speed can be obtained because of very high mobility. Thus, such a material is especially excellent for efficiently adsorbing uranium present in an amount as small as 3 ppb in seawater that is a high saline solution and other valuable metals and

fractionally eluting them at high efficiency.

Radiation-induced graft polymerization is the most preferred method for the purpose of the present invention, because it is a method that permits a desired graft polymer side chain to be introduced into a polymer substrate by irradiating the substrate to produce a radical and reacting it with a graft monomer and characterized in that the number or length of the graft chain can be relatively freely controlled and the polymer side chain can be introduced into existing polymer materials in various shapes including woven or nonwoven fabrics.

Radiations that can be used in radiation-induced graft polymerization include  $\alpha$ -rays,  $\beta$ -rays,  $\gamma$ -rays, electron rays, UV ray, etc., among which  $\gamma$ -rays and electron rays are especially preferred. Radiation-induced graft polymerization includes pre-irradiation graft polymerization involving preliminarily irradiating a substrate and then bringing it into contact with a polymerizable monomer for graft polymerization reaction, and simultaneous irradiation graft polymerization involving simultaneously irradiating a substrate and a polymerizable monomer, both of which can be used for the preparation of metal collecting materials to be treated by the process of the present invention.

When a metal collecting material in the form of a nonwoven fabric containing an amidoxime group and/or imidodioxime group is used as a metal collecting material that can be treated by the process of the present invention, for example, the amidoxime group and/or imidodioxime group

can be formed by graft-polymerizing a polymerizable monomer (graft monomer) consisting of acrylonitrile and amidoximizing it with hydroxylamine or the like.

5 The process for eluting and recovering a metal from a metal collecting material according to the above embodiment of the present invention is explained with reference to the drawing.

Fig. 5 is a flow sheet showing a process according to an embodiment of the present invention. A process for  
10 recovering a valuable metal such as uranium or vanadium from seawater is explained along the flow sheet. In Fig. 5, various reference numbers represent the following elements:  
1: metal collecting material elution tank (steps 1 and 2);  
2: metal resorbing material tank (step 3); 3: first eluent;  
15 4: second eluent; 5: storage tank for eluate from step 1;  
6: storage tank for eluate from step 2; 7: waste liquor after resorption from step 3; 8: eluent for metal resorbing material; 9: eluate of metal resorbing material; 10:  
effluent treatment equipment.

20 Metal collecting materials having adsorbed valuable metals in seawater after mooring in an ocean current for a given period are packed into metal collecting material elution tank 1. Collecting materials on which a mass of marine organisms or secretes are deposited can be washed  
25 with eluate 5 from step 1 to remove the deposits. Waste liquor 7 after resorption from step 3 may be appropriately diluted and used as a washing solution. The washing waste liquor from this washing step is discharged after some



water treatment to meet a regulatory value for effluent in effluent treatment equipment 10 because it contains solids or organic matters derived from organisms. Although washing takes place in elution tank 1 in Fig. 5, washing  
5 may also take place in another washing tank not shown when washing efficiency is low.

Washed metal collecting materials are brought into contact with a first dilute eluent 3 such as dilute hydrochloric acid of 0.1 N or less to elute and remove  
10 calcium or magnesium (step 1). The eluate containing calcium or magnesium at high level from this step can be stored in storage tank 5 for eluate from first step and used as a washing solution in the next process.

Then, the collecting materials are brought into  
15 contact with a second eluent 4 more concentrated than the first eluent such as hydrochloric acid of 0.5 N or more to elute a valuable metal such as uranium or vanadium (step 2). The eluate is stored in storage tank 6. This eluate contains a valuable metal such as uranium or vanadium at  
20 some concentration (in the order of several ppm to several tens of ppm). In step 2, a driving solution is preferably further passed after the eluent to drive the eluent remaining in the collecting materials. The driving solution used for this purpose may be water or optionally  
25 tap water-treated water or seawater.

In order to further concentrate the valuable metal in eluate 6 from step 2, eluate 6 is passed through metal resorbing material tank 2. Metal resorbing material tank 2

is packed with a chelate resin or the like capable of  
resorbing the target metal. When uranium is to be recov-  
ered, for example, metal resorbing material tank 2 can be  
packed with a resin based on an amidoxime group. In metal  
5 resorbing material tank 2, the target metal is resorbed to  
the resin (step 3). Effluent 7 from step 3 is somewhat  
less concentrated than the second eluent because it  
contains the driving solution and washing solution, but it  
is sufficiently useful as the first eluent so that it can  
10 be used as first eluent 3 by appropriately adjusting the  
concentration. Alternatively, effluent 7 can be used as a  
washing solution before step 1.

The target metal resorbed on the metal resorbing  
material can be directly recovered by disassembling the  
15 resin. Alternatively, the resin can be contacted with a  
further concentrated eluent 7 such as further concentrated  
hydrochloric acid (for example, 1-5 N) to elute the metal  
adsorbed on the resin in eluate 9 again. The target metal  
is contained at a very high level in eluate 9 so that it  
20 can be recovered by methods known in the art.

#### EXAMPLES

Each aspect of the present invention is explained in  
detail by way of example below. The following examples are  
25 intended to illustrate but not to limit the present  
invention.

##### Example 1

##### Preparation of a metal collecting material



Collection and recovery of uranium in seawater

A basket made of a stainless net containing units of the uranium collector formed above was immersed in a sea area having an ocean current flowing at about 1 m/sec (about 3 m below the sea level) for 20 days. The seawater uranium level in this sea area was 3.1 ppb.

After immersion for 20 days, the uranium collectors were pulled up from the sea and the collecting materials were washed with pure water. Then, the collectors were packed in an elution column. The column was eluted with 100 liters of 0.5 N hydrochloric acid to recover the collected uranium. After elution and recovery, the collectors were disassembled and the collecting materials were removed to determine uranium uneluted at 0.5 N, which showed that 95% or more of the collected uranium was dissociated.

The amount of thus recovered uranium is shown in Table 1. The amount of uranium collected per collector is shown in Fig. 4, which demonstrates that the amount of uranium collected per collector is remarkably high in the form of a peak when the opening area ratio is within the range of the present invention of 25-75%.

Table 1

Spacer (mm)	Number of collecting materials	Opening area ratio (%)	Total weight of collecting materials (g)	Eluted uranium (mg)	Adsorbed uranium per unit weight of collecting materials ( $\mu\text{g/g}$ )	Collected uranium per collector (mg)
0.3	205	22	1330	264	198	263
0.5	176	32	1129	460	407	460
0.8	151	43	979	485	495	485
1.2	122	53	790	555	703	555
1.8	94	63	622	436	701	436
2.5	76	70	490	401	818	400
4	53	79	348	353	1014	353
10	25	91	156	162	1038	162

Example 2Preparation of a metal collecting material

- 5 A nonwoven fabric having an areal density of  $60 \text{ g/m}^2$  made of a polyethylene fiber of  $10\text{-}20 \mu\text{m}$  in diameter was irradiated with  $\gamma$ -rays at  $150 \text{ kGy}$  in a nitrogen atmosphere and then immersed in a mixed monomer solution of acrylonitrile and methacrylic acid at  $50^\circ\text{C}$  for 6 hours for graft
- 10 polymerization. Then, the nonwoven fabric was immersed in dimethylformamide for washing at  $50^\circ\text{C}$  for 3 hours and then weighed to give a grafting degree of 132%.

- The grafted nonwoven fabric obtained above was immersed in a mixed solution of 50% methanol and 50% water
- 15 containing 3% hydroxylamine hydrochloride and heated at  $80^\circ\text{C}$  for 1 hour for amidoximation. Then, the nonwoven fabric was immersed in a 2% aqueous potassium hydroxide

solution for alkaline treatment at 80°C for 1 hour. This nonwoven fabric was thoroughly washed with pure water and used as a metal collecting material.

5 Adsorption and collection of valuable metals in seawater

Ten test samples of 20 cm x 30 cm were cut out from the metal collecting material obtained from a nonwoven fabric as described above and packed in a basket made of a stainless net. The basket containing the test samples was  
10 moored in a sea area having an ocean current flowing at about 1 m/sec (about 3 m below the sea level) for about 3 weeks to collect valuable metals in seawater by adsorption. The seawater uranium level in this sea area was 3.1 ppb.

15 Recovery of valuable metals

The metal collecting materials having adsorbed valuable metals were pulled up from the sea and washed with the effluent of 0.1 N hydrochloric acid that had been passed through the collecting materials. Then, the  
20 collecting materials were packed in an elution column (50 mm in diameter) by stacking a total height of 40 cm of 2 rolls each consisting of 5 sheets of the collecting material of a nonwoven fabric of 20 cm x 30 cm.

The column was eluted with 1200 ml of 0.1 N  
25 hydrochloric acid and the effluent from the column was stored for the next washing. This effluent contained calcium and magnesium at high levels but little valuable metals such as uranium or vanadium.

0956382 102301  
102201 2869360

Then, 1200 ml of 0.5 N hydrochloric acid was passed through the column and 600 ml of water was further passed through the column to drive the remaining solution. The uranium level in a total of 1.8 liters of the effluent from the column was measured to be 4.7 mg/l. The collecting materials having been subjected to the second elution treatment were disassembled and the amount of uranium that could not be eluted with 0.5 N hydrochloric acid was determined to be below 0.1 mg, showing that 95% or more of the collected uranium could be efficiently eluted.

The effluent from the elution column obtained above was passed at SV3 through a metal resorption column packed with 50 ml of a bead-like chelate resin having a high stability constant for complexation with uranium (Unicellex UR-3100 made by Unitika) to resorb uranium onto the resin. The uranium level in the effluent from the resorption column was determined to be 1.4 ppb, showing that most of uranium was resorbed to the chelate resin. The uranium level in the resin was 0.024%, which means that the seawater level of 3.1 ppb was concentrated about 8000-fold. Moreover, 90% of other metals in seawater such as calcium or magnesium were separated.

This column containing the chelate resin having resorbed uranium was eluted again with 150 ml of 2 N hydrochloric acid to recover 200 ml of a solution containing 40 mg/l uranium.

#### INDUSTRIAL APPLICABILITY

With metal collectors according to an aspect of the present invention, valuable metals in seawater or heavy metal ions in river water can be efficiently collected with the aid of natural forces. Thus, metal collectors of the present invention are very promising as a solution to energy, resource and environmental issues in future. Processes for eluting and recovering a metal from a metal collecting material according to another aspect of the present invention allow a target metal to be recovered in a purified state from a metal collecting material, so that recovery efficiency can be remarkably increased if they are applied to the technique for collecting valuable metals such as uranium or vanadium from seawater, or collecting and removing noxious metals such as cadmium, lead or copper in river water, or collecting and removing noxious metals such as mercury from industrial wastewater, or removing nickel from nickel plating wastewater. The eluent can be reused as many times as possible, whereby reducing costs for recovery. Therefore, processes of the present invention are very promising as a solution to energy, resource and environmental issues in future.



## CLAIMS

1. A metal collector formed by stacking at least partially alternate layers of a fibrous metal collecting material with a spacer for introducing a liquid to be treated into said collecting material, wherein the area of spacer side faces represents 25-75% of the total area of collecting material side faces and spacer side faces in the side faces of the stack.
2. The metal collector of Claim 1 wherein said collecting material is in the form of a woven and/or nonwoven fabric consisting of a fiber assembly.
3. The metal collector of Claim 1 or 2 wherein said collecting material has a metal adsorbing functional group introduced into a fiber substrate via radiation-induced graft polymerization.
4. The metal collector of any one of Claims 1 to 3 wherein said collecting material has a metal adsorbing functional group including an amidoxime group and/or imidodioxime group.
5. The metal collector of any one of Claims 1 to 4 wherein said collecting material has a thickness of 0.5-3.0 mm.
6. The metal collector of Claim 4 wherein the target metal to be collected is uranium, vanadium or titanium.
7. A method for collecting a metal in a stream current comprising placing the metal collector of any one of Claims 1 to 6 in the stream current.
8. The method of Claim 7 wherein the stream current is

an ocean current and the target metal to be collected is uranium, vanadium or titanium.

9. A process for eluting and recovering a metal from a metal collecting material comprising the steps of: (1) contacting the metal collecting material having absorbed a metal with a dilute eluent, (2) contacting the metal collecting material with an eluent more concentrated than in step 1 to recover the metal in the eluent; and (3) contacting a metal resorbing material with the eluate from step 2 to resorb the metal.

10. The process of Claim 9 further comprising, between steps 1 and 2, the step of contacting the collecting material with an eluent having a concentration higher than that of the eluent in step 1 but lower than that of the eluent in step 2.

11. The process of Claim 10 further comprising two or more elution steps between steps 1 and 2 wherein the eluent in later steps is adjusted at a concentration higher than in early steps in said further elution steps.

12. The process of any one of Claims 9 to 11 further comprising the step of washing the collecting material before step 1 with the effluent from step 1 and/or the effluent from step 3 (effluent from resorption of the target metal to a metal resorbing material).

13. The process of any one of Claims 9 to 12 wherein the effluent from step 3 (effluent from resorption of the target metal to a metal resorbing material) is used as an eluent in step 1.

14. The process of any one of Claims 9 to 13 further comprising the step (4) of contacting the metal resorbing material having resorbed the target metal from step 3 with an eluent more concentrated than the eluent used in step 3 to recover the target metal in the eluent.

15. The process of any one of Claims 9 to 14 wherein the metal collecting material to be treated contains an amidoxime group and/or imidodioxime group.

16. The process of any one of Claims 9 to 15 wherein the metal collecting material to be treated is in the form of a woven or nonwoven fabric consisting of a fiber assembly.

17. The process of any one of Claims 9 to 16 wherein the metal collecting material to be treated is prepared by using radiation-induced graft polymerization.

Fig. 1




Fig. 2




Fig. 3




Fig. 4





Fig. 5



# Declaration and Power of Attorney For Patent Application

## 特許出願宣言書及び委任状

### Japanese Language Declaration

#### 日本語宣言書

下記の氏名の発明者として、私は以下の通り宣言します。

As a below named inventor, I hereby declare that:

私の住所、私書箱、国籍は下記の私の氏名の後に記載された通りです。

My residence, post office address and citizenship are as stated next to my name.

下記の名称の発明に関して請求範囲に記載され、特許出願している発明内容について、私が最初かつ唯一の発明者（下記の氏名が一つの場合）もしくは最初かつ共同発明者（下記の名称が複数の場合）であると信じています。

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled.

METAL-COLLECTING APPARATUS AND METHOD FOR

ELUTION AND RECOVERY OF METAL FROM

METAL-COLLECTING MATERIAL

上記発明の明細書は、

☐ 本書に添付されています。

the specification of which

☐ is attached hereto.

☐ 月 日 に提出され、米国出願番号または特許協定条約国際出願番号を \_\_\_\_\_ とし、  
(該当する場合) \_\_\_\_\_ に訂正されました。

☒ was filed on April 25, 2000  
as United States Application Number or  
PCT International Application Number  
PCT/JP00/02699 and was amended on  
\_\_\_\_\_ (if applicable).

私は、特許請求範囲を含む上記訂正後の明細書を検討し、内容を理解していることをここに表明します。

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

私は、連邦規則法典第37編第1条56項に定義されるとおり、特許資格の有無について重要な情報を開示する義務があることを認めます。

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

# Japanese Language Declaration

(日本語宣言書)

私は、米国法典第35編119条 (a) - (d) 項又は365条 (b) 項に基づき下記の、米国以外の国の少なくとも一か国を指定している特許協力条約365 (a) 項に基づく国際出願、又は外国での特許出願もしくは発明者証の出願についての外国優先権をここに主張するとともに、優先権を主張している、本出願の前に出願された特許または発明者証の外国出願を以下に、枠内をマークすることで、示しています。

Prior Foreign Application(s)

外国での先行出願

119178/1999	Japan
(Number)	(Country)
(番号)	(国名)
119181/1999	Japan
(Number)	(Country)
(番号)	(国名)

私は、第35編米国法典119条 (e) 項に基づいて下記の米国特許出願規定に記載された権利をここに主張いたします。

(Application No.)	(Filing Date)
(出願番号)	(出願日)

私は、下記の米国法典第35編120条に基づいて下記の米国特許出願に記載された権利、又は米国を指定している特許協力条約365条 (c) に基づく権利をここに主張します。また、本出願の各請求範囲の内容が米国法典第35編112条第1項又は特許協力条約で規定された方法で先行する米国特許出願に開示されていない限り、その先行米国出願書提出日以降で本出願書の日本国内または特許協力条約国際提出日までの期間中に入手された、連邦規則法典第37編1条56項で定義された特許資格の有無に関する重要な情報について開示義務があることを認識しています。

(Application No.)	(Filing Date)
(出願番号)	(出願日)

(Application No.)	(Filing Date)
(出願番号)	(出願日)

私は、私自信の知識に基づいて本宣言書中で私が行なう表明が真実であり、かつ私の入手した情報と私の信じることに基づく表明が全て真実であると信じていること、さらに故意になされた虚偽の表明及びそれと同等の行為は米国法典第18編第1001条に基づき、罰金または拘禁、もしくはその両方により処罰されること、そしてそのような故意による虚偽の声明を行なえば、出願した、又は既に許可された特許の有効性が失われることを認識し、よってここに上記のごとく宣誓を致します。

I hereby claim foreign priority under Title 35, United States Code, Section 119 (a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed.

Priority Claimed

優先権主張

27/4/1999	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(Day/Month/Year Filed)	Yes	No
(出願年月日)	はい	いいえ
27/4/1999	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(Day/Month/Year Filed)	Yes	No
(出願年月日)	はい	いいえ

I hereby claim the benefit under Title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below.

(Application No.)	(Filing Date)
(出願番号)	(出願日)

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s), or Section 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code Section 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of application.

(Status: Patented, Pending, Abandoned)
(現況: 特許許可済、係属中、放棄済)

(Status: Patented, Pending, Abandoned)
(現況: 特許許可済、係属中、放棄済)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.



**Japanese Language Declaration**  
(日本語宣言書)

委任状：私は下記の発明者として、本出願に関する一切の手続きを米特許商標局に対して遂行する弁理士または代理人として、下記の者を指名いたします。  
(弁理士、または代理人の指名及び登録番号を明記のこと)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: (list name and registration number)

Norman F. Oblon, Reg. No. 24,618; Marvin J. Spivak, Reg. No. 24,913; C. Irvin McClelland, Reg. No. 21,124; Gregory J. Maier, Reg. No. 25,599; Arthur I. Neustadt, Reg. No. 24,854; Richard D. Kelly, Reg. No. 27,757; James D. Hamilton, Reg. No. 28,421; Eckhard H. Kuesters, Reg. No. 28,870; Robert T. Pous, Reg. No. 29,099; Charles L. Gholz, Reg. No. 26,395; William E. Beaumont, Reg. No. 30,996; Jean-Paul Lavalleye, Reg. No. 31,451; Stephen G. Baxter, Reg. No. 32,884; Richard L. Treanor, Reg. No. 36,379; Steven P. Wehrhouch, Reg. No. 32,829; John T. Goolkasian, Reg. No. 26,142; Richard L. Chinn, Reg. No. 34,305; Steven E. Lipman, Reg. No. 30,011; Carl E. Schlier, Reg. No. 34,426; James J. Kulbaski, Reg. No. 34,648; Richard A. Neifeld, Reg. No. 35,299; J. Derek Mason, Reg. No. 35,270; Surinder Sachar, Reg. No. 34,423; Jeffrey B. McIntyre, Reg. No. 36,867; William T. Enos, Reg. No. 33,128; Michael E. McCabe, Jr., Reg. No. 37,182; Bradley D. Lyle, Reg. No. 40,073; and Michael R. Casey, Reg. No. 40,294, with full powers of substitution and revocation.

書類送付先

Send Correspondence to:

OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C.  
FOURTH FLOOR  
1755 JEFFERSON DAVIS HIGHWAY  
ARLINGTON, VIRGINIA 22202 U.S.A.

直接電話連絡先：(名前及び電話番号)

Direct Telephone Calls to: (name and telephone number)

(703) 413-3000

単独発明者または第一の共同発明者の氏名	1-00	Full name of sole or first joint inventor	
発明者の署名	日付	Inventor's signature	Date
住所		<u>Takanobu SUIGO</u>	<u>Oct. 1, 2001</u>
国籍		<u>Gunma, Japan</u>	<u>JPX</u>
郵便の宛先		<u>Residence</u>	
		<u>Gunma, Japan</u>	
		<u>Citizenship</u>	
		<u>Japanese</u>	
		<u>Post Office Address c/o Japan Atomic Energy Research Institute, Takasaki Radiation Chemistry Research Establishment</u>	
		<u>1233, Watanuki-cho, Takasaki-shi, Gunma 370-1292 Japan</u>	
第二の共同発明者の氏名	2-00	Full name of second joint inventor, if any	
第二の共同発明者の署名	日付	<u>Akiyo KATAKAI</u>	
住所		<u>Second joint Inventor's signature</u>	Date
国籍		<u>Akiyo Katakai</u>	<u>Oct. 1, 2001</u>
郵便の宛先		<u>Residence</u>	
		<u>Gunma, Japan</u>	<u>JPX</u>
		<u>Citizenship</u>	
		<u>Japanese</u>	
		<u>Post Office Address c/o Japan Atomic Energy Research Institute, Takasaki Radiation Chemistry Research Establishment</u>	
		<u>1233, Watanuki-cho, Takasaki-shi, Gunma 370-1292 Japan</u>	

(第三以降の共同発明者についても同様に記載し、署名すること)

(Supply similar information and signature for third and subsequent joint inventors.)

## Japanese Language Declaration

(日本語宣言書)

第三の共同発明者の氏名	3-00	Full name of third joint inventor, if any Noriaki SEKO
第三の共同発明者の署名	日付	Third joint inventor's signature Noriaki Seko Date Oct. 1, 2001
住所		Residence Gunma, Japan JPX
国籍		Citizenship Japanese
郵便の宛先		Post Office Address c/o Japan Atomic Energy Research Institute, Takasaki Radiation Chemistry Research Establishment 1233, Watanuki-cho, Takasaki-shi, Gunma 370-1292 Japan

第四の共同発明者の氏名	4-00	Full name of fourth joint inventor, if any Shin HASEGAWA
第四の共同発明者の署名	日付	Fourth joint inventor's signature Shin Hasegawa Date Oct. 1, 2001
住所		Residence Gunma, Japan JPX
国籍		Citizenship Japanese
郵便の宛先		Post Office Address c/o Japan Atomic Energy Research Institute, Takasaki Radiation Chemistry Research Establishment 1233, Watanuki-cho, Takasaki-shi, Gunma 370-1292 Japan

第五の共同発明者の氏名	5-00	Full name of fifth joint inventor, if any Kunio FUJIWARA
第五の共同発明者の署名	日付	Fifth joint inventor's signature Kunio Fujiwara Date Oct. 1, 2001
住所		Residence Kanagawa, Japan JPX
国籍		Citizenship Japanese
郵便の宛先		Post Office Address c/o EBARA RESEARCH CO., LTD. 4-2-1, Honfujisawa, Fujisawa-shi, Kanagawa 251-8502 Japan

第六の共同発明者の氏名	6-00	Full name of sixth joint inventor, if any Hiroshi NAGAI
第六の共同発明者の署名	日付	Sixth joint inventor's signature Hiroshi Nagai Date Oct. 1, 2001
住所		Residence Kanagawa, Japan JPX
国籍		Citizenship Japanese
郵便の宛先		Post Office Address c/o EBARA RESEARCH CO., LTD. 4-2-1, Honfujisawa, Fujisawa-shi, Kanagawa 251-8502 Japan

(第六またはそれ以降の共同発明者に対しても同様な情報および署名を提供すること。)

(Supply similar information and signature for third and subsequent joint inventors.)

## Japanese Language Declaration

(日本語宣言書)

第七の共同発明者の氏名	7-00	Full name of seventh joint inventor, if any <u>Hideo KAWAZU</u>
第七の共同発明者の署名	日付	7th joint inventor's signature <u>Hideo Kawazu</u> Date Oct. 1, 2001
住所		Residence <u>Kanagawa, Japan</u>
国籍		Citizenship <u>Japanese</u> JPX
郵便の宛先		Post Office Address c/o EBARA RESEARCH CO., LTD. 4-2-1, Honfujisawa, Fujisawa-shi, Kanagawa 251-8502 Japan

第八の共同発明者の氏名	8-00	Full name of eighth joint inventor, if any <u>Kazuyoshi TAKEDA</u>
第八の共同発明者の署名	日付	8th joint inventor's signature <u>Kazuyoshi Takeda</u> Date Oct. 1, 2001
住所		Residence <u>Kanagawa, Japan</u>
国籍		Citizenship <u>Japanese</u> JPX
郵便の宛先		Post Office Address c/o EBARA RESEARCH CO., LTD. 4-2-1, Honfujisawa, Fujisawa-shi, Kanagawa 251-8502 Japan

第九の共同発明者の氏名	9-00	Full name of ninth joint inventor, if any <u>Satoshi KONISHI</u>
第九の共同発明者の署名	日付	9th joint inventor's signature <u>Satoshi Konishi</u> Date Oct. 1, 2001
住所		Residence <u>Kanagawa, Japan</u> JPX
国籍		Citizenship <u>Japanese</u>
郵便の宛先		Post Office Address c/o EBARA RESEARCH CO., LTD. 4-2-1, Honfujisawa, Fujisawa-shi, Kanagawa 251-8502 Japan

第十の共同発明者の氏名	10-00	Full name of tenth joint inventor, if any <u>Hideyuki MISAWA</u>
第十の共同発明者の署名	日付	10th joint inventor's signature <u>Hideyuki Misawa</u> Date Oct. 1, 2001
住所		Residence <u>Kanagawa, Japan</u> JPX
国籍		Citizenship <u>Japanese</u>
郵便の宛先		Post Office Address c/o EBARA RESEARCH CO., LTD. 4-2-1, Honfujisawa, Fujisawa-shi, Kanagawa 251-8502 Japan

(第六またはそれ以降の共同発明者に対しても同様な情報および署名を提供すること。)

(Supply similar information and signature for third and subsequent joint inventors.)

## Japanese Language Declaration

(日本語宣言書)

第十一の共同発明者の氏名	11-00	Full name of 11th joint inventor, if any <u>Takashi KAWAKAMI</u>
第十一の共同発明者の署名	日付	11th joint inventor's signature <u>Takashi Kawakami</u> Date Oct. 1, 2001
住所		Residence <u>Kanagawa, Japan</u>
国籍		Citizenship <u>Japanese</u> JPX
郵便の宛先		Post Office Address c/o EBARA RESEARCH CO., LTD. 4-2-1, Honfujisawa, Fujisawa-shi, Kanagawa 251-8502 Japan

第十二の共同発明者の氏名	12-00	Full name of 12th joint inventor, if any <u>Junichi KANNO</u>
第十二の共同発明者の署名	日付	12th joint inventor's signature <u>Junichi Kanno</u> Date Oct. 1, 2001
住所		Residence <u>Kanagawa, Japan</u>
国籍		Citizenship <u>Japanese</u> JPX
郵便の宛先		Post Office Address c/o EBARA RESEARCH CO., LTD. 4-2-1, Honfujisawa, Fujisawa-shi, Kanagawa 251-8502 Japan

第十三の共同発明者の氏名	13-00	Full name of 13th joint inventor, if any <u>Keiji HASEGAWA</u>
第十三の共同発明者の署名	日付	13th joint inventor's signature <u>Keiji Hasegawa</u> Date Oct. 1, 2001
住所		Residence <u>Kanagawa, Japan</u> JPX
国籍		Citizenship <u>Japanese</u>
郵便の宛先		Post Office Address c/o EBARA RESEARCH CO., LTD. 4-2-1, Honfujisawa, Fujisawa-shi, Kanagawa 251-8502 Japan

第十四の共同発明者の氏名	14-00	Full name of 14th joint inventor, if any <u>Masaji AKAHORI</u>
第十四の共同発明者の署名	日付	14th joint inventor's signature <u>Masaji Akahori</u> Date Oct. 1, 2001
住所		Residence <u>Tokyo, Japan</u> JPX
国籍		Citizenship <u>Japanese</u>
郵便の宛先		Post Office Address c/o EBARA CORPORATION 11-1, Haneda Asahi-chi, Ohta-ku, Tokyo 144-8510 Japan

(第六またはそれ以降の共同発明者に対しても同様な情報および署名を提供すること。)

(Supply similar information and signature for third and subsequent joint inventors.)